Product Quality Readme File for

MIPAS Level 1b IPF 8.03 products

Field	Contents		
Document Title	Product Quality Readme File for MIPAS Level 1b IPF 8.03 products		
Reference	ESA-EOPG-EBA-TN-1 issue 1.1, 08/09/2019		
Affected Dataset	This Readme file applies to all MIPAS Level 1b products generated with the ESA Level 1b IPF processor version 8.03 (MIP_NL1PY) and the Auxiliary Data Files version 10.		
Reference Documents	 [RD1] Algorithm Theoretical Baseline Document (ATBD) for MIPAS Level 1b Processing, PO-TN-BOM-GS-0012, issue 2, 14 October 2016 [RD2] MIPAS Level 1B Processing Input/Output Data Definition (IODD), PO-TN-BOM-GS-0010, issue 7A, 17 March 2017 		
Filled by	SPPA Engineer		
	This document shall be amended by releasing a new edition of the document in its entirety. The table below records the history and issue status of this document.		
Change log	Issue Dat	te	Change
	1.0 16/01/	2019 First release	
	1.1 08/09/	Z2019 Addition of § 8.4 (patched products)
Summary	1. MIPAS mission overview 2 2. MIPAS observation modes 2 3. Level 1b products overview 3 4. Level 1b IPF version 8.03 5 4.1. Processor upgrades 5 4.2. Product identifiers 7 4.3. Product format upgrades 8 4.4. Product format and tools 8 4.5. Product quality filtering 8 5. Data reprocessing with Level 1b version 8.03 9 5.1. Known processing features 10		

6.	Transient data quality degradation events	11
7.	Acronyms	12
8.	Annex	13
8.1.	Non-nominal Level 0 input files	13
8.2.	Platform pointing anomalies	17
8.3.	Anomalous measurement events	17
8.4.	Patched Products	17

Description

1. MIPAS mission overview

The ENVISAT mission with on-board the MIPAS instrument lasted ten years, from the 1st of March 2002 until the 8th of April 2012. In 2004 MIPAS suffered a major anomaly affecting the Interferometer Drive Unit (IDU) with serious impact on performances. To avoid the mechanical blockage of the instrument, ESA took the decision to interrupt the MIPAS regular operations on the 26th of March 2004 (orbit 10823). Different tests with different slides configurations and spectral resolutions were performed for the identification of the error source, also for recovering the instrument. Despite such a serious problem, ESA succeeded the recovery of the instrument on January 2005, after a test campaign that lasted only a few months.

MIPAS was operated at 100% of its duty cycle from July 2002 to March 2004. Due to the above described instrument anomaly, MIPAS was operated with a reduced duty cycle of about 30% at the beginning of 2005 which was progressively increased until December 2007, when MIPAS was successfully recovered back to a 100% duty cycle, after 3.5 years since the first failure. The adopted duty cycle had a direct consequence on the overall number of observations acquired by MIPAS in different periods.

2. MIPAS observation modes

The MIPAS acquisition baseline was defined by a Science Team, and had been regularly revised along the mission in order to adapt the measurements scenario to scientific requirements, like special operations in support to calibration campaigns or special validation campaigns. Different measurement modes were thus implemented.

Moreover the MIPAS major anomaly in 2004 obliged ESA to modify the acquisition scenarios and to completely re-characterize the instrument. Different phases can be identified along the MIPAS mission characterized by:

- a different spectral resolution,
- a different limb scanning pattern with different vertical and horizontal sampling.
- Full Resolution (FR) phase: 1st July 2002 26th March 2004

In the original measurement mode, the MIPAS instrument was acquiring data with full spectral resolution (0.025 cm⁻¹). During this phase, MIPAS measurements were mainly acquired in Nominal Mode with 17 sweeps per scan; only a few orbits were commanded in the Special observation modes and in the Upper Atmosphere observational scenarios for scientific purposes.

- Mission suspended: 26th March 2004 9th August 2004
- Reduced Resolution (RR) phase: 9th August 2004 17th September 2004

MIPAS was tested for acquiring 41% reduced spectral resolution measurements (0.0625 cm⁻¹) and asymmetric transitory sweeps (3.3 mm asymmetry). During this phase, Nominal Mode operations have 17 sweeps per scan.

- Mission suspended: 17th September 2004 10th January 2005
- Optimized Resolution (OR) phase: 10th January 2005 21st October 2010

MIPAS was operated in double slides configuration for acquiring 41% reduced spectral resolution measurements (0.0625 cm⁻¹) and asymmetric transitory sweeps (3.3 mm asymmetry). Operations were based on an "event driven scenario", with priority to validation campaigns and special observations. The instrument duty cycle was increased from 30% up to 100%, with continuous operations since the 1st of December 2007. During this phase, beside the most frequent Nominal Mode, several measurements have been acquired in UTLS-1 (Upper Troposphere-Lower Stratosphere), MA (Middle Atmosphere) and UA (Upper Atmosphere) modes. The new Nominal Mode has 27 sweeps per scan. The other observation modes were updated for the new instrument configuration and optimized respect to vertical and horizontal spacing.

• ENVISAT extended mission: 21st October 2010 – 8th April 2012

MIPAS continued to be operated in Optimized Resolution (OR) but the ENVISAT platform was moved to a lower altitude with drifting orbit.

3. Level 1b products overview

The MIPAS Level 1b products are engineering products obtained from limb observations converted into relevant physical units after applying suitable

calibrations. The Level 1b products consist of a set of localized, radiometrically and spectrally calibrated spectra of the atmosphere, with various annotated datasets on calibrations and data quality indications.

MIPAS detectors were designed to cover the spectral range from 685 cm⁻¹ to 2410 cm⁻¹. Eight detectors were adopted and the spectral range was split into five bands, each band being covered by one or two specific detector(s). The spectral ranges of the single bands are depicted in the following table:

Band	Optical Range [cm ⁻¹]
Α	685 – 980
AB	1010 – 1180
В	1205 – 1510
С	1560 – 1760
D	1810 – 2410

During the sounding of the atmospheric limb, for each height step represented by a single interferometric stroke (sweep), MIPAS generated five spectra (one for each band) and a corresponding set of auxiliary data, all band measurements recorded during the same time interval. The Level 1b file contains the calibrated spectra with reference to calibration data and to the auxiliary data used during calculations. Each elevation scan header contains specific data corresponding to an individual elevation sequence belonging to the actual scene.

The Level 1b processor algorithm is fully described in the ATBD document [RD1]; the major processing steps are reported below:

- Radiometric calibration
- correction for instrument offset and gain;
- conversion to spectral radiance units (W/cm-1 sr cm2).
- Spectral calibration
- determination of the wavenumber axis.
- Instrument Line Shape (ILS) calibration
- Determination of the instrument response function.
- Geolocation
- determination of pointing correction (from Line Of Sight [LOS] calibrations);
- determination of the tangent point location using orbit data, satellite attitude data and pointing correction.

4. Level 1b IPF version 8.03

The MIPAS Level 1b Instrument Processor Facility (IPF) MICAL version 8.03 was developed introducing both scientific improvements and format updates, and was adopted for the reprocessing of the MIPAS full-mission data set.

4.1. Processor upgrades

The new MICAL Level 1b processor Baseline 8.0 implements software changes and new processing elements discussed in the framework of MIPAS QWG activities for the fix or the enhancement of the MIPAS Level 0 to 1b processing. The major changes in the algorithms of the new Level 1b version 8.03, compared to predecessor IPF version 7.11, are reported below:

• New detectors non-linearity coefficients

A special issue is the aging of the detectors which caused a reduction of the sensitivity and a decrease of the non-linearity over the mission. The inflight detector non-linearity takes this into account and helps to derive reliable trends of species and temperature over the mission. The detector non-linearity correction in Level 1 IPF v7.11 was done using an in-flight characterisation and of the on-ground characterisation. The new in-flight detector non-linearity characterisation method is developed using:

 nominal Calibration Blackbody (CBB)/Deep Space (DS) measurements and raw mode CBB/DS/Scene measurements from the whole mission, in order to re-characterise the non-linearity coefficients as a function of the ice contamination, the instrument temperature and the time since the beginning of the mission. The new non-linearity characterization method was tested by means of overlapping spectral regions of adjacent detector bands and checking calibrated blackbody spectra measured at different blackbody temperatures.

In L1 v8.03 new Nonlinear contributions have been calculated from the ice level and temperature determination (with v5 gains). A new data set of Auxiliary Data Files, composed of non-linearity coefficients (MIP_CA1_AX) and calibration (MIP_CG1_AX, MIP_CO1_AX and MIP_CS1_AX) parameters, has been recalculated for the whole mission and was used for the Level 1b reprocessing with the IPF v8.03 processor.

• Orbit State Vector DOR/VOR

The orbit determination is improved making use of accurate <u>DORIS Precise</u> <u>Orbit State Vectors DOR/VOR files</u> (DOR_VOR_AXVF).

• Upgraded pointing correction model

The upgraded pointing function compute the effective mispointing angles taking into considerations the MIPAS alignment matrices defined in the new MIP_CA1_AX. It is assumed that commanded elevation angles are only partially corrected with respect to known pointing errors according to the best knowledge based on-ground characterization and LOS calibration measurements.

The remaining elevation error, obtained from LOS calibration measurements, has been be computed in the ground segment and be used to correct in measurement mode the measured elevation angles. The corrected elevation angles and the measured azimuth angles are used to compute the geolocation (height/longitude/latitude) of the actual scene (target).

Longitude and latitude error fields addition

Rearward measurements has a pointing correction and that the new fields latitude and longitude error are reported in the level 1b.

Removal of elevation mirror WCC scans

The processor provides the removal of WCC (wear control cycle) sweeps from L1B product (the WCC automatically performed after every transition to Heater, 1 scan of 12 sweeps).

• Upgraded offset validation (threshold and handling of invalid)

Offset calibration is performed when a new non-corrupted offset measurement becomes available. A 'closest in time strategy' has been applied to select the calibrated offset that is subtracted from the scene measurements, which means that a complete scan is calibrated with the closest calibrated offset. In case the closest calibrated offset is flagged as invalid by the "NESR Assessment and Offset Validation" function, it is used anyway for the subtraction but a warning flag is be associated with the scene.

If no offset at all is found in the input data, then the offset calibration data contained in the offset validation file is used but a warning flag will be associated with the scene.

In case of there is no offset measurements in a Level 0 product, the processor is able to generate level-1b using the backup offset in the MIP CO1 ADF file.

In case the offset validity threshold is exceeded, the offset measurements in a level 0 product still taken.

• Non-rejection of scene with Level 0 transmission error flag

In case a Level 0 input product has a transmission error flag set to 1, the processor is able to ignore the transmission flag error and proceed anyway with the processing of products. This adaptation was implemented as in the past the product was not processed even if the scientific contents was not affected by errors.

• Extended spectral wave number range

The bands spectral range have been extended as in table below (in bold the new values):

Band A	Band AB	Band B	Band C	Band D
Range	Range	Range	Range	Range
cm-1	cm-1	cm-1	cm-1	cm-1
685 - 980 (970)	1010 (1020) – 1180 (1170)	1205 (1215) - 1510 (1500)	1560 (1570) - 1760 (1750)	1810 (1820) - 2410

Processing of daily gain (and flagging of extreme variation)

The product gain validation have been improved with the new Gain Calibration Auxiliary Data File (MIP_CG1_AX), which contains a reference gain measured once per day (note: this was once per week in the previous version 7.11).

Precise spectral calibration

The product spectral calibration has been improved with the new ILS and spectral calibration Auxiliary Data File (MIP CS1 AX).

4.2. Product identifiers

The Level 1b products generated by the IPF v8.03 are identified by the following fields reported in the product filename and/or Main Product Header (MPH) to unambiguously summarize the processing configuration adopted:

MPH Field	Value
Processing stage flag	Υ
Processing center	DSI
Software version	MICAL/8.03

The default product filename counter is set to "0000", and it is increased in case of corrective processing activities; however only one product per orbit is available in the L1b data set.

Filename	
MIP_NL1P YDSI 20100621_224004_000060142090_00302_43442_ 0000 .N1	

4.3. Product format upgrades

The following fields have been introduced in the Level 1b v8.03 products with respect to the previous baseline (versions 7.11). Details can be found in the latest issues of the MIPAS IODD and Product Specification documents ([RD2] and [RD3]).

Record	Field name	Description	
SPH	qual_pcd	Overall Quality Product. Set to '+000' if product is OK, '+001' Warning flag, backup offset was used, '+002' Warning flag, gain is more distant than 7 days from measurements, '+003' Warning flag, both conditions (backup offset and distant gain) are present.	
MDS	Tangent point geolocation Error (lat/long.)	Latitude: unit: "1e-6 degrees_north" Longitude: unit: "1e-6 degrees_east"	

4.4. Product format and tools

The MIPAS Level 1b products generated with IPF v8.03 have an updated format (see [RD2]). Owing to this, the BEAT, VISAN and CODA software have been updated in order to read the new products, allowing fields' extraction and data handling. Latest VISAN version 3.19 and CODA version 2.20 are aligned to the new specifications. The format definition of the new data is also available on-line at:

http://www.stcorp.nl/coda/codadef/ENVISAT_MIPAS/products/MIP_NL _ 1P v3.html

4.5. Product quality filtering

Users are recommended to check the quality flags listed in the table below, in order to make use of the highest quality spectra data of the new MIPAS Level 1b version 8.03 dataset.

Record	Field name	Description	Expected Value
МРН	Product Error	Possible values: 1 or 0. If 1, the total number of corrupted sweeps is greater than 10% of the total number of sweeps in the product.	0
SPH	qual_pcd	Overall Quality Product. Set to '+000' if product is OK, '+001' Warning flag, backup offset was used, '+002' Warning flag, gain is more distant than 7 days from measurements, '+003' Warning flag, both conditions (backup offset and distant gain) are present.	0
	Quality flag	Quality indicator PCD (Product Confidence Data). Possible values: 1 or 0. If 1, one or more bands are corrupted.	0
MDS	Quality flag	Band validity PCD (5 values, for band A, AB, B, C, D). Possible values: 0, non-corrupted 2, corrupted due to transmission errors 4, corrupted due to observational validation 8, corrupted due to ADC saturation.	0

5. Data reprocessing with Level 1b version 8.03

Data reprocessing is fundamental to improve the quality of the existing data sets and generate coherent long term series of geophysical parameters to be used for atmospheric applications, such as climate studies and trend analysis.

The latest MIPAS Level 1b full-mission reprocessing campaign has been performed using the Instrument Processing Facility (IPF) version 8.03. The reprocessed dataset covers the entire MIPAS operational mission lifetime period, from the 1st of July 2002 up to the 8th of April 2012. **Users are strongly recommended to use the new reprocessed MIPAS Level 1b products v8.03.**

The existing MIPAS Level 0 dataset has been successfully processed to Level 1b; in total 35018 products(*) have been generated, with a total data volume of about 9TB. The following table gives an overview of the number of orbits available per year. The status of the MIPAS consolidated Level 1b

data set version 7.11-W is also available at:

https://earth.esa.int/web/sppa/mission-performance/esa-missions/envisat/mipas/products-availability/level-1

Year	Level 0 products available	Level 1b v8.03 products available	Percentage of L1b v8.03 availability wrt L0 products
2002	2054	2005	97.61 %
2003	4580	4575	99.89 %
2004	1205	1166	96.76 %
2005	1764	1689	95.75 %
2006	2111	2052	97.21%
2007	3353	3303	98.51 %
2008	4855	4828	99.44 %
2009	4905	4866	99.20 %
2010	4861	4841	99.59 %
2011	4908	4885	99.53 %
2012	1360	1354	99.56 %
Total	35956	35564	98.91 %

(*) some orbits are split in two separate products.

Access to MIPAS products can be provided through ESA Fast Registration.

5.1. Known processing features

Please find below a list of known reprocessing features, which might affect the intended data usage.

• Non-nominal Level 0 input files

The Level 1b v8.03 dataset has been processed starting from the MIPAS Level 0 consolidated dataset, covering a time window between the 1st of July 2002 and the 8th of April 2012 (end of the mission).

In a few cases the Level 0 products have non-nominal duration:

- products shorter than 30 seconds but not adjacent to any instrument unavailability
- products belonging to adjacent orbits but wrongly cut (i.e. not at the satellite ascending node crossing)
- products longer than 7000 seconds, covering more than one orbit.

The list of all non-nominal Level 0 products is reported in section 8.1. As a

consequence these anomalies affect the Level 1b v8.03 dataset.

Satellite attitude

The attitude information of the satellite used in the processing of the MIPAS Level 1b version 8.03 products has been derived from the ENVISAT Restituted Attitude auxiliary files (AUX_FRA_AX); this information is mandatory during the generation of Level 1b products. Therefore no products of the 8th of April 2012 (last day of MIPAS operations) were reprocessed, since the proper ENVISAT Restituted Attitude file is not available for that day.

Satellite precise orbit

The orbit state vector information of the satellite needed for the Level 1b processing with IPF v8.03 has been derived from the latest version of the DORIS data (<u>DOR VOR AX, version E</u>), which represents the most accurate orbit estimate produced from the ENVISAT platform.

• Instrument pointing

The accuracy of the engineering tangent altitudes provided in the Level 1b v8.03 products is in the range of 0.4 km for rearward observations.

The lowest tangent point commanding is different during FR/RR and OR. For the case FR/RR period with 17 sweeps the lowest altitude was commanded to be 6km.

For the OR period, they were using 'floating altitude', the lowest altitude was varying from 3 to 9km to follow the tropopause.

6. Transient data quality degradation events

The most significant deficiencies in the products are originated by the following causes:

Decontaminations

Along the mission, ice accumulated on the MIPAS optics with loss of signal at the detector. For this reason regular instrument decontaminations (cooler switch-off) were executed in order to remove the ice contamination. During these events, MIPAS was not in measurement mode. After decontamination periods the noise error was reduced.

• Temperatures stabilization

After planned or unplanned instrument switch-offs, the detector temperatures needed some time to reach operational thresholds and stabilise. During those time intervals the MIPAS measurements might be quality degraded.

Platform pointing anomalies

The instrument pointing accuracy might be reduced during ENVISAT pointing anomalies, or when platform attitude modes different from the Stellar Yaw Steering Mode (SYSM) were operated (e.g. Yaw Steering Mode [YSM] or Fine Pointing Mode [FPM]).

The list of affected mission intervals is provided in section 8.2.

Anomalous measurement events

In few cases along the MIPAS mission lifetime, wrong instrument commanding CTI tables were uplinked to the satellite. This happened especially during manual recovery procedures after platform/instrument unavailability. As a result non-intended scanning patterns were commanded. All MIPAS measurements acquired during those periods are not meaningful for atmospheric species retrieval.

In addition in a single case, the uplink of nominal gain tables failed, so that the instrument acquired measurements with high gain tables, nominally used for Line-of-Sight calibrations only. The resulting band D spectra are all saturated.

The list of affected mission intervals is provided in section 8.3.

The list of all events affecting the MIPAS mission can be found at:

https://earth.esa.int/web/sppa/mission-performance/esa-missions/envisat/mipas/mission-highlights

7. Acronyms

ADC	Analogue to Digital Converter
ADC	Analogue to Digital Conventer

ADF Auxiliary Data File
ADS Annotation Data Set

ATBD Algorithm Theoretical Baseline Document
BEAT Basic ENVISAT Atmospheric Toolbox

CBB Calibration Blackbody
CFI Customer Furnished Items
CODA Common Data Access Toolbox
CTI Configuration Table Interface

DORIS Doppler Orbitography and Radiopositioning Integrated by Satellite

DS Deep Space

DSI Data Service Initiative
ESA European Space Agency
FPM Fine Pointing Mode
FR Full Resolution

IDEAS Instrument Data quality Evaluation and Analysis Service

IDU Interferometer Drive Unit ILS Instrument Line Shape

IODD	Input / Output Data Definition
IPF	Instrument Processor Facility
LO	Level 0
L1b	Level 1b
L2	Level 2
LOS	Line Of Sight
MA	Middle Atmosphere
MDS	Measurements Data Set
MIPAS	Michelson Interferometer for Passive Atmospheric Sounding
MPH	Main Product Header
NESR	Noise Equivalent Spectral Radiance
NOM	Nominal
OR	Optimized Resolution
PCD	Product Confidence Data
QWG	Quality Working Group
RR	Reduced Resolution
SPPA	Sensor Performance, Products and Algorithm
SYSM	Stellar Yaw Steering Mode
UA	Upper Atmosphere
UTLS-1	Upper Troposphere Lower Stratosphere
YSM	Yaw Steering Mode
ZPD	Zero Path Difference

8. Annex

8.1. Non-nominal Level 0 input files

Non-nominal duration products:

Year	Orbit	Product
2004	10199	MIP_NL1PYDSI20040211_141146_000000262024_00125_10199_0000.N1
2004	13903	MIP_NL1PYDSI20041027_100549_000000002031_00322_13903_0000.N1
2000	36667	MIP_NL1PYDSI20090305_170427_000000012077_00040_36667_0000.N1
2009	40413	MIP_NL1PYDSI20091122_094727_000000012084_00279_40413_0000.N1

Year	Orbit	Product	
	1929	MIP_NL1PYDSI20020713_200209_000068682007_00372_01929_0000.N1	
	2250	MIP_NL1PYDSI20020805_061431_000077182008_00192_02250_0000.N1	
2002	2252	MIP_NL1PYDSI20020805_105352_000073532008_00194_02252_0000.N1	
	2665	MIP_NL1PYDSI20020903_060241_000076562009_00106_02665_0000.N1	
	3809	MIP_NL1PYDSI20021122_053018_000070992011_00248_03809_0000.N1	
2003	4992	MIP_NL1PYDSI20030212_195216_000061072013_00429_04992_0000.N1	

	6990	MID NI 4DVDCI20020702 002254 000074452047 00422 00002 000
	6992	MIP_NL1PYDSI20030702_093254_000074152017_00423_06990_0000.N1
2004	11227	MIP_NL1PYDSI20030702_125407_000072392017_00425_06992_0000.N1
2004	19559	MIP_NL1PYDSI20040423_093014_000061482026_00151_11227_0000.N1
2005	19566	MIP_NL1PYDSI20051126_112251_000073222042_00467_19559_0000.N1
		MIP_NL1PYDSI20051126_230702_000074002042_00474_19566_0000.N1
2006	20416	MIP_NL1PYDSI20060125_081553_000074732044_00322_20416_0000.N1
	24400	MIP_NL1PYDSI20061030_160141_000068692052_00298_24400_0000.N1
2007	27536	MIP_NL1PYDSi20070606_180337_000065752058_00428_27536_0000.N1
	28027	MIP_NL1PYDSI20070711_011329_000094532059_00418_28027_0000.N1
	31610	MIP_NL1PYDSi20080317_083449_000061022066_00494_31610_0000.N1
	31615	MIP_NL1PYDSi20080317_165748_000061012066_00499_31615_0000.N1
	31619	MIP_NL1PYDSi20080317_234012_000061032067_00002_31619_0000.N1
	31905	MIP_NL1PYDSi20080406_231126_000061032067_00288_31905_0000.N1
	32040	MIP_NL1PYDSI20080416_093216_000061032067_00423_32040_0000.N1
2008	32045	MIP_NL1PYDSI20080416_175514_000061032067_00428_32045_0000.N2
	32459	MIP_NL1PYDSI20080515_160311_000061022068_00341_32459_0000.N2
	33351	MIP_NL1PYDSI20080716_233721_000061032070_00231_33351_0000.N2
	33493	MIP_NL1PYDSI20080726_214220_000061012070_00373_33493_0000.N1
	33780	MIP_NL1PYDSi20080815_225410_000061012071_00159_33780_0000.N:
	34916	MIP_NL1PYDSI20081103_073425_000061022073_00293_34916_0000.N1
	36019	MIP_NL1PYDSI20090119_085450_000061042075_00394_36019_0000.N1
	36024	MIP_NL1PYDSI20090119_171749_000061012075_00399_36024_0000.N2
	36038	MIP_NL1PYDSI20090120_164612_000061012075_00413_36038_0000.N2
	36042	MIP_NL1PYDSI20090120_232837_000061012075_00417_36042_0000.N2
	36715	MIP_NL1PYDSI20090308_235138_000061012077_00088_36715_0000.N2
2009	38814	MIP_NL1PYDSI20090802_150833_000061032081_00183_38814_0000.N2
	38819	MIP NL 1PYDSI20090802 233131 000061012081 00188 38819 0000.N2
	38958	MIP NL 1PYDSI20090812 163445 000061042081 00327 38958 0000.N2
	39105	MIP NL 1PYDSI20090822 230246 000061012081 00474 39105 0000.N2
	39244	MIP NL 1PYDSI20090901 160600 000061032082 00112 39244 0000.N2
	39668	MIP_NL1PYDSI20091001_065952_000061032083_00035_39668_0000.N2
	41219	MIP NL 1PYDSI20100117 152834 000061032086 00083 41219 0000.N2
	41224	MIP NL 1PYDSI20100117 235132 000061012086 00088 41224 0000.N:
2010	41672	MIP NL 1PYDSI20100218 065948 000061032087 00035 41672 0000.N:
	41676	MIP NL 1PYDSI20100218 134212 000061022087 00039 41676 0000.N2
	41677	MIP NL 1PYDSI20100218 152246 000061032087 00040 41677 0000.N:
	42245	MIP NL 1PYDSI20100330 074258 000061022088 00107 42245 0000.N3
	42388	MIP NL 1PYDSI20100409 072834 000061032088 00250 42388 0000.N:
	42961	MIP NL 1PYDSI20100519 081140 000061022089 00322 42961 0000.N:
	42962	MIP NL 1PYDSI20100519 095213 000061042089 00323 42962 0000.N:
	43104	MIP NL 1PYDSI20100529 075717 000061012089 00465 43104 0000.N1
	.5_5	Mill Mr

	43113	MIP_NL1PYDSI20100529_230237_000061012089_00474_43113_0000.N1
	43248	MIP_NL1PYDSI20100608_092329_000061032090_00108_43248_0000.N1
	43390	MIP_NL1PYDSI20100618_072833_000061022090_00250_43390_0000.N1
	43391	MIP_NL1PYDSI20100618_090906_000061032090_00251_43391_0000.N1
	43534	MIP_NL1PYDSI20100628_085444_000061032090_00394_43534_0000.N1
	43819	MIP_NL1PYDSI20100718_064526_000061032091_00178_43819_0000.N1
	43820	MIP_NL1PYDSI20100718_082558_000061052091_00179_43820_0000.N1
	43963	MIP_NL1PYDSI20100728_081141_000061022091_00322_43963_0000.N1
	43964	MIP NL 1PYDSI20100728 095212 000061052091 00323 43964 0000.N1
	43969	MIP_NL1PYDSI20100728_181511_000061022091_00328_43969_0000.N1
	44106	MIP NL 1PYDSI20100807 075718 000061022091 00465 44106 0000.N1
	44392	MIP_NL1PYDSI20100827_072834_000061022092_00250_44392_0000.N1
	44393	MIP_NL1PYDSI20100827_090905_000061062092_00251_44393_0000.N1
	44535	MIP NL 1PYDSI20100906 071411 000061022092 00393 44535 0000.N1
	44965	MIP NL 1PYDSI20101006 081135 000061022093 00322 44965 0000.N1
	44966	MIP_NL1PYDSI20101006_095206_000061072093_00323_44966_0000.N1
	46137	MIP NL 1PYDSI20101226 232727 000067503098 00002 46137 0000.N1
	48052	MIP_NL1PYDSI20110509_060733_000083473102_00193_48052_0000.N1
2011	48052	MIP NL 1PYDSI20110509 060733 000084123099 00403 48052 0000.N1

Orbit duplication:

Year	Orbit	Product
2002	2250	MIP_NL1PYDSI20020805_061431_000077182008_00192_02250_0000.N1
	4278	MIP_NL1PYDSI20021224_222832_000060272012_00216_04278_0000.N1
	4661	MIP_NL1PYDSI20030120_164646_000054942013_00098_04661_0000.N1
	4746	MIP_NL1PYDSI20030126_153155_000046392013_00183_04746_0000.N1
	4797	MIP_NL1PYDSI20030130_043920_000060262013_00234_04797_0000.N1
	4822	MIP_NL1PYDSI20030131_22341800803732013_00259_04822_0000.N1
	4837	MIP_NL1PYDSI20030201_234317_000060262013_00274_04837_0000.N1
	5776	MIP_NL1PYDSI20030408_141405_000049732015_00211_05776_0000.N1
	5824	MIP_NL1PYDSI20030411_225058_000050542015_00259_05824_0000.N1
2003	5824	MIP_NL1PYDSI20030411_225525_000047872015_00259_05824_0000.N1
2003	6114	MIP_NL1PYDSI20030502_044800_000060262016_00048_06114_0000.N1
	6153	MIP_NL1PYDSI20030504_221121_000060262016_00087_06153_0000.N1
	6153	MIP_NL1PYDSI20030504_223015_000048922016_00087_06153_0000.N1
	6157	MIP_NL1PYDSI20030505_045344_000060262016_00091_06157_0000.N1
	6167	MIP_NL1PYDSI20030505_213943_000060262016_00101_06167_0000.N1
	6167	MIP_NL1PYDSI20030505_215717_000049722016_00101_06167_0000.N1
	6725	MIP_NL1PYDSI20030613_211429_000060122017_00158_06725_0000.N1
	6725	MIP_NL1PYDSI20030613_212808_000051932017_00158_06725_0000.N1

	6730	MIP_NL1PYDSI20030614_053756_000059852017_00163_06730_0000.N
	6826	MIP_NL1PYDSI20030620_223412_000060372017_00259_06826_0000.N
	6943	MIP_NL1PYDSI20030629_024427_000060262017_00376_06943_0000.N
	6945	MIP_NL1PYDSI20030629_060539_000060152017_00378_06945_0000.N
	6990	MIP_NL1PYDSI20030702_093254_000074152017_00423_06990_0000.N:
	6992	MIP_NL1PYDSI20030702_125407_000072392017_00425_06992_0000.N
	6993	MIP_NL1PYDSI20030702_145725_000047252017_00426_06993_0000.N
	7245	MIP_NL1PYDSI20030720_050520_000060152018_00177_07245_0000.N
	7503	MIP_NL1PYDSI20030807_053951_000060272018_00435_07503_0000.N
	7516	MIP_NL1PYDSI20030808_032727_000060382018_00448_7516_0000.N1
	8027	MIP_NL1PYDSI20030912_201340_000060272019_00458_08027_0000.N
	8048	MIP_NL1PYDSI20030914_072615_000060462019_00479_08048_0000.N
	8052	MIP_NL1PYDSI20030914_140838_000060262019_00483_08052_0000.N
	8343	MIP_NL1PYDSI20031004_220250_000060262020_00273_08343_0000.N
	8343	MIP_NL1PYDSI20031004_222305_000048112020_00273_08343_0000.N
	10591	MIP_NL1PYDSI20040309_230845_000060372025_00016_10591_0000.N
	10591	MIP_NL1PYDSI20040309_233032_000047242025_00016_10591_0000.N
	10595	MIP NL 1PYDSI20040310 055119 000060162025 00020 10595 0000.N
	10595	MIP_NL1PYDSI20040310_061830_000043852025_00020_10595_0000.N
2004	10614	MIP NL 1PYDSI20040311 134242 000060262025 00039 10614 0000.N
	10614	MIP NL 1PYDSI20040311 140832 000044702025 00039 10614 0000.N
	10615	MIP_NL1PYDSI20040311_152318_000060152025_00040_10615_0000.N
	10615	MIP NL 1PYDSI20040311 154626 000046272025 00040 10615 0000.N
	10619	MIP_NL1PYDSI20040311_222315_000049672025_00044_10619_0000.N
	15071	MIP NL 1PYDSI20050116 223150 000053522033 00488 15071 0000.N
	15150	MIP NL 1PYDSI20050122 105901 000060752034 00066 15150 0000.N
	17736	MIP NL 1PYDSI20050722 024824 000045852039 00147 17736 0000.N
	17738	MIP_NL1PYDSI20050722_062722_000049642039_00149_17738_0000.N
2005	17740	MIP_NL1PYDSI20050722_093048_000027182039_00151_17740_0000.N
2005	17741	MIP_NL1PYDSI20050722_112910_000049642039_00152_17741_0000.N
	17900	MIP_NL1PYDSI20050802_141024_000058482039_00311_17900_0000.N
	17998	MIP_NL1PYDSI20050809_100404_000051112039_00409_17998_0000.N
	19559	MIP_NL1PYDSI20051126_112251_000073222042_00467_19559_0000.N
	19566	MIP_NL1PYDSI20051126_230702_000074002042_00474_19566_0000.N
2006	20416	MIP_NL1PYDSI20060125_081553_000074732044_00322_20416_0000.N
2007	28027	MIP_NL1PYDSI20070711_011329_000094532059_00418_28027_0000.N
2008	35152	MIP_NL1PYDSI20081119_205615_000060732074_00028_35152_0000.N
2000	36050	MIP_NL1PYDSI20090121_143359_000060442075_00425_36050_0000.N
2009	36217	MIP_NL1PYDSI20090202_063359_000060312076_00091_36217_0000.N
2011	48052	MIP NL 1PYDSI20110509 060733 000084123099 00403 48052 0000.N:

8.2. Platform pointing anomalies

Mission	interval	Affected orbits	Anomaly
9 Dec 2003 10:00:00	12 Dec 2003 17:48:32	9280 - 9328	Platform attitude test
21 Jun 2004 07:56:33	22 Jun 2004 11:50:18	12070 - 12087	Platform attitude anomaly
13 Mar 2008 03:16:37	13 Mar 2008 19:28:44	31553 - 31559	Platform attitude anomaly
5 Mar 2009 19:18:01	6 Mar 2009 15:10:02	36664 - 36681	Platform attitude anomaly
15 Feb 2009 03:38:34	16 Feb 2009 13:09:00	36402 - 36422	Platform attitude anomaly
11 Jan 2010 11:34:56	11 Jan 2010 19:05:37	41130 - 41135	Platform attitude anomaly
26 May 2010 12:12:12	26 May 2010 16:26:04	43063 - 43066	Platform attitude anomaly
22 Oct 2010 04.20.01	02 Nov 2010 10.25.02	45191 - 45353	Orbit lowering manoeuvres

8.3. Anomalous measurement events

Mission interval	Affected orbits	Anomaly
28 - 30 January 2005	15242 - 15265	Anomalous scan pattern
6 - 8 August 2006	23178 - 23216	Anomalous scan pattern
7 - 18 October 2006	24070 - 24227	Saturated signal in band D
3 - 11 April 2007	26610 - 26710	Anomalous scan pattern
15 May 2008	32453 - 32462	Anomalous scan pattern
23 September 2008	34324 - 34329	Anomalous scan pattern
22 - 23 October 2009	39975 - 39982	Anomalous scan pattern

8.4. Patched Products

The following list of products has been substituted by products with processing code -0001.N1.

The impacted products are the last products of each calendar month throughout the mission July 2002 until March 2012.

The products were affected by a negative duration (wrong calculation in the MICAL processor). The first applied correction introduced a wrong code in the product header (in Sensing_Start and Sensing_Stop time fields). A patch has been applied to correct time fields.

Year	Orbit	Product
2002	2189	MIP_NL1PYDSI20020731_235731_000029782008_00131_02189_0000.N
	2632	MIP_NL1PYDSI20020831_224255_000060262009_00073_02632_0000.N
	3505	MIP_NL1PYDSI20021031_222545_000060262010_00445_03505_0000.N.
	3935	MIP_NL1PYDSI20021130_232310_000060152011_00374_03935_0000.N.
	4379	MIP_NL1PYDSI20021231_234902_000060262012_00317_04379_0000.N.
	4822	MIP_NL1PYDSI20030131_223418_000060272013_00259_04822_0000.N
	5223	MIP_NL1PYDSI20030228_225424_000060262014_00159_05223_0000.N
	5667	MIP_NL1PYDSI20030331_232007_000060372015_00102_05667_0000.N
	6096	MIP_NL1PYDSI20030430_223703_000060372016_00030_06096_0000.N
	6969	MIP_NL1PYDSI20030630_222002_000060262017_00402_06969_0000.N
2003	7413	MIP_NL1PYDSI20030731_224558_000060262018_00345_07413_0000.N
	7857	MIP_NL1PYDSI20030831_231153_000060262019_00288_07857_0000.N
	8286	MIP_NL1PYDSI20030930_222831_000060372020_00216_08286_0000.N
	8730	MIP_NL1PYDSI20031031_225429_000060152021_00159_08730_0000.N
	9160	MIP_NL1PYDSI20031130_235203_000060152022_00088_09160_0000.N
	9603	MIP_NL1PYDSI20031231_223720_000060272023_00030_09603_0000.N
	10047	MIP_NL1PYDSI20040131_230309_000060262023_00474_10047_0000.N
2004	10462	MIP_NL1PYDSI20040229_225139_000060262024_00388_10462_0000.N
2005	19194	MIP_NL1PYDSI20051031_232125_000060292042_00102_19194_0000.N
2006	23545	MIP_NL1PYDSI20060831_222556_000060142050_00445_23545_0000.N
	25736	MIP_NL1PYDSI20070131_235755_000060282055_00131_25736_0000.N
	26136	MIP_NL1PYDSI20070228_223727_000060152056_00030_26136_0000.N
2007	28326	MIP_NL1PYDSI20070731_222848_000060162060_00216_28326_0000.N
2007	28770	MIP_NL1PYDSI20070831_225423_000060452061_00159_28770_0000.N
	29200	MIP_NL1PYDSI20070930_235203_000060162062_00088_29200_0000.N
	30516	MIP_NL1PYDSI20071231_221954_000060682064_00402_30516_0000.N
	30960	MIP_NL1PYDSI20080131_224600_000060152065_00345_30960_0000.N
	31375	MIP_NL1PYDSI20080229_223416_000060442066_00259_31375_0000.N
	31819	MIP_NL1PYDSI20080331_225958_000060442067_00202_31819_0000.N
	32692	MIP_NL1PYDSI20080531_224252_000060302069_00073_32692_0000.N
2008	34009	MIP_NL1PYDSI20080831_225201_000059842071_00388_34009_0000.N
	34439	MIP_NL1PYDSI20080930_234845_000060752072_00317_34439_0000.N
	34882	MIP_NL1PYDSI20081031_223400_000060762073_00259_34882_0000.N
	35756	MIP_NL1PYDSI20081231_235724_000060742075_00131_35756_0000.N
	36199	MIP_NL1PYDSI20090131_224251_000060452076_00073_36199_0000.N
	36600	MIP_NL1PYDSI20090228_230305_000060152076_00474_36600_0000.N
2009	37044	MIP_NL1PYDSI20090331_232851_000060432077_00417_37044_0000.N
	37473	MIP NL 1PYDSI20090430 224553 000060442078 00345 37473 0000.N

	37917	MIP_NL1PYDSI20090531_231124_000060742079_00288_37917_0000.N1
	38346	MIP_NL1PYDSI20090630_222902_000060442080_00216_38346_0000.N1
	38790	MIP_NL1PYDSI20090731_225454_000060442081_00159_38790_0000.N2
	39234	MIP_NL1PYDSI20090831_232032_000060562082_00102_39234_0000.N2
	39663	MIP_NL1PYDSI20090930_223649_000060252083_00030_39663_0000.N:
	40536	MIP_NL1PYDSI20091130_222043_000060252084_00402_40536_0000.N:
	40980	MIP_NL1PYDSI20091231_224610_000060442085_00345_40980_0000.N:
	41424	MIP_NL1PYDSI20100131_231119_000060762086_00288_41424_0000.N:
	41825	MIP_NL1PYDSI20100228_233238_000060242087_00188_41825_0000.N:
	42269	MIP_NL1PYDSI20100331_235814_000060142088_00131_42269_0000.N:
	42698	MIP_NL1PYDSI20100430_231408_000060422089_00059_42698_0000.N:
	43142	MIP_NL1PYDSI20100531_234013_000060752090_00002_43142_0000.N:
2010	43571	MIP_NL1PYDSI20100630_225719_000060142090_00431_43571_0000.N.
2010	44015	MIP_NL1PYDSI20100731_232258_000060752091_00374_44015_0000.N
	44459	MIP_NL1PYDSI20100831_234934_000059832092_00317_44459_0000.N.
	44888	MIP_NL1PYDSI20100930_230625_000059832093_00245_44888_0000.N
	45332	MIP_NL1PYDSI20101031_225118_000060493096_00059_45332_0000.N
	45763	MIP_NL1PYDSI20101130_225221_000060273097_00059_45763_0000.N
	46209	MIP_NL1PYDSI20101231_235634_000060143098_00074_46209_0000.N
	46654	MIP_NL1PYDSI20110131_232113_000060243099_00088_46654_0000.N
	47056	MIP_NL1PYDSI20110228_225451_000059923100_00059_47056_0000.N
	47502	MIP_NL1PYDSI20110331_235824_000060143101_00074_47502_0000.N
	47933	MIP_NL1PYDSI20110430_235936_000059543102_00074_47933_0000.N
	48378	MIP_NL1PYDSI20110531_232326_000059543103_00088_48378_0000.N
2011	48809	MIP_NL1PYDSI20110630_232307_000060143104_00088_48809_0000.N
2011	49254	MIP_NL1PYDSI20110731_224647_000060143105_00102_49254_0000.N
	49700	MIP_NL1PYDSI20110831_235039_000060143106_00117_49700_0000.N
	50131	MIP_NL1PYDSI20110930_235058_000060143107_00117_50131_0000.N
	50576	MIP_NL1PYDSI20111031_231455_000060253108_00131_50576_0000.N.
	51007	MIP_NL1PYDSi20111130_231454_000060153109_00131_51007_0000.N
	51452	MIP_NL1PYDSI20111231_223804_000060153110_00145_51452_0000.N
2012	51898	MIP_NL1PYDSi20120131_234132_000060143111_00160_51898_0000.N.
2012	52760	MIP_NL1PYDSI20120331_234142_000060143113_00160_52760_0000.N:

• Instrument operations

WWW References The list of events affecting the MIPAS mission can be found at: https://earth.esa.int/web/sppa/mission-performance/esa-missions/envisat/mipas/mission-highlights

• Processors documentation

https://earth.esa.int/web/sppa/mission-performance/esa-

	missions/envisat/mipas/products-and-algorithms/products-information	
	Consolidated data sets https://earth.esa.int/web/sppa/mission-performance/esa-missions/envisat/mipas/products-availability/level-1	
	Products' format and tools The MIPAS Level 1b v8.03 fileformat definition is available at: http://www.stcorp.nl/coda/codadef/ENVISAT_MIPAS/products/MIP_NL_1P_v3.html	
	The Basic ENVISAT Atmospheric Toolbox (BEAT) can be downloaded at: http://www.stcorp.nl/beat/	
Inputs	MIPAS Quality Working Group, MIPAS validation teams, MIPAS IDEAS (Instrument Data quality Evaluation and Analysis Service) team	
Originator	Angelika Dehn	
Approver	Philippe Goryl	